



FIREPLACE **INSERTS**

The fire of your life.


Fireclay eboris 1300 ultra ivory





Fireclay eboris 1300 ultra black





PRODUCT-SPECIFIC PICTOGRAPHS


-  RLA, room air dependent


-  RLU, room air sealed


-  Logs


-  S-Thermatik NEO


-  S-USI II


-  S-ESAM | S-ESAM 3.0


-  S-Kamatik 2


-  S-Vent


-  Energy efficiency class


-  Thermal output range (kW)


-  H₂O; water-heat exchanger (kW)


-  Water-side nominal heat output (kW)

-  Straight

-  Double sided

-  L-shaped

-  U-shaped

-  Round

INDEX

Introduction	4
Product overview	10
Products	12
Technical data	58

NOTE:

Colours may differ slightly from actual colours, due to the printing process. Technical data and colours subject to change. Errors and omissions excepted.

FLAMING PASSION FOR FIRE

Innovative technology in timeless design

Warmth, cosiness and atmosphere: A fireplace is at the top of many people's wish list. To make this wish come true, Spartherm offers a wide range of innovative fireplace inserts for making any architectural plan a reality. These innovative fireplace inserts feature an impressive design with large glass panes that offer a unique view of the flames. In addition to fireplace inserts with a front glass, Spartherm also offers L-shaped or U-shaped variants, among many other designs. The right combustion technology from Spartherm can make any wish come true. Since the company's founding in 1986, Spartherm has been continuously developing and implementing innovations to improve fireplace inserts and offer the perfect feel-good moment.

WHAT IS SO
FASCINATING
ABOUT A
SPARTHERM
FIREPLACE
INSERT?



**UNIQUE DESIGN,
JUST AS YOU
WANT IT**



**INNOVATIVE
PRODUCTS FOR
EVERY STYLE OF
LIVING**



**AN INDIVIDUAL FIRE-
PLACE EXPERIENCE,
FOR A LIFETIME**

LIVING STYLES – THE FIRE FOR EVERY STYLE

Whether minimalism, industrial chic or Skandi style: Fireplaces that focus on design and quality are in vogue. And that's no wonder: Limiting yourself to the essentials in your living space and removing superfluous items can bring tidiness and peace to your home. This is relaxing and lets you wind down. High-quality design classics suit this living trend well; they are durable and thus sustainable by nature. Like Spartherm's fireplace inserts.



You've got your new furniture, but is it still missing that certain something? Without a dash of naturalness, many living styles seem cold and impersonal. It's the little things that turn a new house into a cosy home. Warm, natural materials such as wood or leather. Beautiful fabrics, cushions and plaids. Pictures and books. Lovely colours that create a sense of well-being. But nothing gives an interior as much power and cosiness as a fireplace. Because it's the warmth and special atmosphere of a fireplace that really makes the living ambience radiate! Spartherm fireplace inserts offer an almost inexhaustible variety of creative possibilities. To make your dream fireplace become reality.

MINI

Straight

Grand fire experience – small effect.

Variants:

Mini R1V Mini R1V RLU

Mini Z1 Mini Z1 RLU

Mini Z1 NSHF

Mini S Mini S RLU

Mini Sh Mini Sh RLU

Page 12–15

L-shaped

The ideal solution even for corners.

Variants:

Mini 2L

Mini 2R

Mini 2LRh

Page 16–17

Double sided

A fireplace with elegant transparency.

Variant:

Mini S-FDh

Page 18–19

VARIA

Straight

Excellent design for optimal integration.

Variants:

Varia 1V Varia 1V RLU

Varia 1Vh Varia 1Vh RLU

Varia 1V-87h

Varia 1V-100h

Varia Sh Varia Sh RLU

Varia AS Varia AS RLU

Varia ASh Varia ASh RLU

Varia Ah

Varia Bh Varia Bh RLU

Varia B-120h

Varia M-80h RLU

Page 30–35

L-shaped

Our bestsellers – flexible corner solutions.

Variants:

Varia 2L-55

Varia 2L-55h Varia 2L-55h RLU

Varia 2R-55

Varia 2R-55h Varia 2R-55h RLU

Varia 2L-62

Varia 2L-62h Varia 2L-62h RLU

Varia 2R-62

Varia 2R-62h Varia 2R-62h RLU

Varia 2L-68h

Varia 2R-68h

Varia 2Lh

Varia 2Rh

Varia AS-2Lh

Varia AS-2Rh

Varia 2L-80h

Varia 2R-80h

Varia 2L-100h

Varia 2R-100h

Page 36–41

Double sided

Light one fire – see it twice.

Variants:

Varia FD Varia FD RLU

Varia FDh

Varia FD-87h

Varia AS-FDh

Varia A-FDh

Varia B-FDh

Page 42–47

U-shaped

An incomparable stage for your fire.

Variants:

Varia AS-3RLh

Varia Ch

Page 48–49

ARTE

Straight

Unique formats for unique rooms.

Variants:

Arte 1Vh-66 Arte 1Vh-66 RLU

Arte Bh

Page 20–21

L-shaped

Cuts a great figure even when cornered.

Variant:

Arte 2LRh-66

Page 22–23

U-shaped

A real highlight: Truly expansive fireplaces.

Variants:

Arte 3RL-60h

Arte 3RL-80h

Arte 3RL-100h

Arte U-50h

Arte U-70h

Arte U-90h

Page 24–27

VARIA H₂O

Straight

Flexibility and performance.

Variants:

Varia 1V H₂O

Varia 1V H₂O XL

Varia 1V H₂O XXL

Varia 1Vh H₂O

Varia 1Vh H₂O XL

Varia 1Vh H₂O XXL

Varia Ah H₂O

Page 50–51

L-shaped

Experience fire from multiple perspectives.

Variants:

Varia 2L-55h H₂O

Varia 2R-55h H₂O

Varia 2Lh H₂O

Varia 2Rh H₂O

Page 52–53

Double sided

Light one fire – see it twice.

Variants:

Varia FD H₂O

Varia FDh H₂O

Varia A-FDh H₂O

Page 54–55

SPEEDY

Round

A well-rounded design.

Variant:

Speedy Ph

Page 28–29



MINI

Small fireplace –
great effect



Mini Z1

If you want to set visual highlights in unusual places, you will find a flame for all occasions in the Mini fireplace insert. With its compact dimensions and sophisticated technology, the Mini offers exceptional fire enjoyment. This fireplace insert with its self-closing hinged door not only ensures maximum safety, but is also ideal for installation at a low height, such as under a staircase. Thus, the Mini represents a successful symbiosis of function and design – small but mighty!

VARIANTS

Mini R1V | RLU

- A
A+ NSHF
- 4.5 – 6.8 kW
4.5 – 8.1 kW NSHF

Mini Z1 | RLU

- A
- 4.9 – 9.1 kW

Mini Z1 NSHF

- A+
- 7.0 – 13.0 kW

Mini S | RLU

- A
- 4.9 – 9.1 kW

Mini Sh | RLU

- A
- 4.9 – 9.1 kW





MINI

Small fireplace –
great effect

The fire crackles gently and invites you to linger. With a Mini, you can create a lively highlight even in the smallest room. After all, a genuine fire in a fireplace is an upgrade for any ambiance. So this fireplace insert, which is not too big and yet combines function and design, will fit perfectly even in a corner or on a narrow wall, and is sure to give you an unforgettable fire experience.

In addition, the smart fireplace assistance functions ensure a relaxed fire experience. The electric S-Thermatik NEO, for example, ensures efficient burning of the wood and an underpressure control offers even more safety. With the electric, automatically operating sliding door called S-ESAM, operating the Mini becomes extremely convenient, leaving more time for enjoying the fire.



Mini S

SMART FIREPLACE ASSISTANCE FUNCTIONS



S-Thermatik NEO
(combustion control)



S-USI II
(underpressure control)



S-ESAM
(automatic sliding door)



S-Vent



Mini Sh



MINI

Just change
your perspective

This is the fireplace insert for new insights. If you want to enjoy your fire again and again and in a different way each time, the L-shape of the Mini is the ideal entry-level format for corner fireplaces. The practical Mini 2L or Mini 2R with a self-closing hinged door, for example, is especially suitable for low installation situations. On the convenient Mini 2LRh with an elevating door, the front can even be opened with the S-ESAM electric door opener if desired. The holistic design of the L-shape creates a feel-good ambiance that is visible from two sides.



Mini 2L

VARIANTS

Mini 2L		A
Mini 2R		4.9 – 9.1 kW
Mini 2LRh		A
		4.9 – 9.1 kW



Mini 2LRh



Mini 2R



MINI

For a compact connection



Mini S-FDh


Open, yet separate. If you are looking for the perfect solution for a unique room design, you will find the answer in the "double sided" Mini. This compact Spartherm fireplace lets you see all the way through. To achieve this effect, the fireplace insert with its two glass panes is cleverly integrated into the architecture.

This creates an almost natural connection between two rooms. No matter where you are, the warming fire is with you and remains fascinating from every angle. Enjoy open perspectives even in compact rooms – for a more spacious impression and a special fire experience.

VARIANT

Mini S-FDh

 A

 4.5 – 7.8 kW






ARTE

The balanced high-format design

This pattern of flame is sure to fascinate. The Arte fireplace insert adds an extraordinary eye-catcher to a cosy ambiance. The impressive high-format design gives the flames plenty of space and slightly emphasises the vertical direction. This creates the perfect stage for a mighty fire in all its glory – blazing and yet tamed.



Arte Bh



Arte 1Vh-66

VARIANTS

Arte 1Vh-66 RLU	A+
	4.6 – 8.6 kW 7.3 – 13.5 kW NSHF

Arte Bh	A
	7.7 – 14.3 kW



The Arte can also be supplemented with smart fireplace assistance functions for a relaxed fire experience. For instance, the electric S-Thermatik NEO ensures efficient burning of the wood and is in the spirit of sustainability. When equipped with the underpressure control and the mechanical chimney draft control, the Arte offers even more safety. The electric, automatically operating sliding door called S-ESAM assists with convenient operation and turns time spent by the fireplace into pure relaxation.

SMART FIREPLACE ASSISTANCE FUNCTIONS

- S-Thermatik NEO**
(combustion control)
- S-USI II**
(underpressure control)
- S-ESAM | S-ESAM 3.0**
(automatic sliding door)
- S-Kamatik 2**
(chimney draft control)
- S-Vent**



ARTE

A special format



Arte 2LRh-66


The flickering flames are presented with understated elegance in this variant of Spartherm's Arte model. The two identical fronts form a slim silhouette for the generous combustion chamber. This allows the flames to develop to imposing size and show their full power. The Arte 2LRh-66 makes the fire visible from two sides and in its full height.

Moreover, this unit features sophisticated firing technology with a truly impressive performance. With an output of 6.4 kW, the energy level remains pleasant and does not overheat the room. In the Arte fireplace insert, Spartherm combines innovative technology and unique design to create unforgettable fire enjoyment.

VARIANT

Arte 2LRh-66

 A+

 4.5 – 8.3 kW
7.3 – 13.5 kW NSHF



Arte 2LRh-66



ARTE

An elegant division

The wood crackles quietly and the fire's warmth creates a feel-good atmosphere in the spacious room. The U-shaped Arte model from Spartherm is perfect as an elegant divider for spacious rooms while simultaneously creating a special connection through fascinating fire. For this purpose, three different models of the Arte U-series with widths of up to 90 cm are available. These extremely large formats can also be opened with the S-ESAM electric door opener for maximum convenience.




Arte U-90h



Arte U-50h

Visibility from three sides lends a unique expressiveness to this extraordinary fireplace insert, making it an ideal room divider. After all, the flames are in front of the wall and are visible from any point in the room. They immerse their entire surroundings in a warm, fascinating pattern of light – for a fully three-dimensional fire experience.



Arte U-70h

VARIANTS

Arte 3RL-60h		A+
		7.0 – 13.0 kW
Arte 3RL-80h		A
		8.0 – 14.8 kW
Arte 3RL-100h		A
		7.7 – 14.3 kW
Arte U-50h		A+
		6.5 – 12.1 kW
Arte U-70h		A+
		8.0 – 14.8 kW
Arte U-90h		A
		9.1 – 16.9 kW





ARTE

Born to be a highlight

Three sides, three views, three models. The three sizes of the U-shaped Arte are the perfect stage for impressive flames. Your future dream fireplace can be placed anywhere in the room – whether on the wall or as an elegant room divider. In a variety of formats with a width from 50 cm to 90 cm, it makes the fascination of fire visible from all sides – for a warm and truly captivating pattern of light in a unique format.



Arte 3RL-100h



Arte 3RL-60h




Arte 3RL-80h



SPEEDY

Natural curves



Speedy Ph

SMART FIREPLACE ASSISTANCE FUNCTIONS



S-Thermatik NEO
(combustion control)



S-USI II
(underpressure control)



S-ESAM
(automatic sliding door)



S-Vent

Warm and round. With the Speedy Ph fireplace insert, flowing shapes like those found in nature are applied to fireplace design. The gentle sweep of the contours directs the eye to the fascinating pattern of the flames at the centre of the intricately designed fireplace insert.

To make sure that your time in front of the fireplace insert is relaxing, it can be equipped with some smart functions. For example, the practical elevating door is a very convenient solution for adding wood. If desired, it can even be operated electrically with the automatic S-ESAM system – simple and easy.

VARIANT

Speedy Ph

A+

4.9 – 9.1 kW



VARIA

Versatile variants



Varia 1Vh

Blazing, lambent or gently flickering. Fire shows itself in countless facets. Varia fireplace inserts are available in a wide range of variants. But all versions feature the beautifully balanced door format. It's your free choice whether to open the door from the left or the right. An elevating glass is also available and can even be controlled with the S-ESAM electric door opener if desired.



Varia Bh



Varia 1V

VARIANTS

Varia 1V | RLU
Varia 1Vh | RLU

A+

7.7 – 14.3 kW
11.9 – 21.2 kW NSHF

Varia 1V-87h

A+

6.7 – 12.4 kW
7.6 – 14.2 kW

Varia 1V-100h

A

7.3 – 13.5 kW

Varia Sh | RLU

A+

7.7 – 14.3 kW

Varia AS | RLU
Varia ASH | RLU

A+

4.9 – 9.1 kW
7.7 – 14.3 kW NSHF

Varia Ah

A

7.3 – 13.5 kW

Varia Bh | RLU

A

7.3 – 13.5 kW

Varia B-120h

A

10.5 – 19.5 kW

Varia M-80h RLU

A

6.3 – 11.7 kW



VARIA

Fireplace insert in a widescreen format



Varia 1V-87h

The Varia-1V family is flexible, even in its performance. Its output ranges from 8.0 kW to 17.0 kW. If you want your life to be more sustainable, you can generate CO₂-neutral hot water for your whole home with the water-conducting H₂O version. Varia fireplaces will inspire you with efficient and innovative technology and with fascinating moments of fire.



Varia Sh



Varia M-80h RLU

SMART FIREPLACE ASSISTANCE FUNCTIONS



S-Thermatik NEO
(combustion control)



S-USI II
(underpressure control)



S-ESAM | S-ESAM 3.0
(automatic sliding door)



S-Kamatik 2
(chimney draft control)



S-Vent



VARIA

Fire on the big screen

A fire nearly as wide as the horizon. The Varia AS and Varia ASh fireplace inserts feature a sensational wide format that is sure to impress. They have a front width of 75 cm and a height of only 38 cm. These fascinating dimensions emulate a cinema screen.

The fireplace inserts are also compatible with the smart home trend. A smart assistance package featuring the S-Vent ventilation and the digital S-Thermatik NEO combustion control, is available to offer more comfort and safety – for a relaxed fire experience.



Varia AS

Varia ASh



VARIA

Perspectives for fire

Experience the flickering flames from many angles. With its compact corner glass pane, the Varia L-shape offers unobstructed visibility of an impressive fire from two sides. This makes the log-fired fireplace insert a perfect corner solution and opens up options for completely new fireplace positions in the room. Compartments of different sizes for the openly displayed wood store make your time in front of the fireplace insert even cosier.

All Varia corner fireplace models can also provide their power to additional rooms through warm air. The digital S-Thermatik NEO assists in the correct and, above all, safe handling of the fire.



Varia 2L-55h



Varia 2R-62



VARIANTS

Varia 2L-55		A
Varia 2R-55		4.9 – 9.1 kW
Varia 2L-55h RLU		A
Varia 2R-55h RLU		4.9 – 9.1 kW
Varia 2L-62		A+
Varia 2R-62		4.8 – 9.0 kW 7.0 – 13.0 kW NSHF
Varia 2L-62h RLU		A+
Varia 2R-62h RLU		4.8 – 9.0 kW 7.0 – 13.0 kW NSHF
Varia 2L-68h		A+
Varia 2R-68h		6.7 – 12.5 kW 6.9 – 12.9 kW NSHF
Varia 2Lh		A+
Varia 2Rh		7.4 – 13.7 kW 8.4 – 15.6 kW NSHF
Varia AS-2Lh		A
Varia AS-2Rh		4.9 – 9.1 kW
Varia 2L-80h		A+
Varia 2R-80h		7.7 – 14.3 kW
Varia 2L-100h		A+
Varia 2R-100h		8.6 – 16.0 kW





VARIA

Great design for corners

This fireplace insert is surprisingly different. With the Varia L-shape, Spartherm has created an impressive corner solution in king-size format, the wide front of which provides an unobstructed view of a fascinating pattern of fire. The orientation of the longer side of the L-shape can be selected freely. This allows the focus to be directed to the fire and makes this fireplace insert a special eye-catcher in a modern ambiance.



Varia 2Lh



Varia 2L-62



Varia 2L-100h



VARIA

Unique design meets state-of-the-art fireplace technology



Varia 2R-68h



Varia 2L-68h



Varia AS-2Lh



VARIA

Connecting on a grand scale



Varia FDh

Exclusive and impressive. The unique design of the Varia double-sided models creates a fire experience that's in a class of its own. A single fire will fascinate you from two perspectives, while the cosy atmosphere can be felt throughout the entire house. This is because the fireplace inserts also provide their energy to other rooms through warm air. And on top of that, these fireplace inserts all have an energy efficiency class of at least A.

VARIANTS

Varia FD RLU	A
Varia FDh	8.1 – 15.1 kW
Varia FD-87h	A+ 7.4 – 13.8 kW 7.8 – 14.4 kW NSHF
Varia AS-FDh	A+ 4.9 – 9.1 kW 7.7 – 14.3 kW NSHF
Varia A-FDh	A 7.3 – 13.5 kW
Varia B-FDh	A 7.7 – 14.3 kW



Varia AS-FDh



VARIA

Connecting on a grand scale



Varia A-FDh



Varia FD-87h



VARIA

The fireplace range
with elegant transparency

Anyone who enters a spacious room with a Varia double-sided fireplace insert will appreciate the cosy, pleasant atmosphere. That is because the different models feature a fascinating and elegant wide format while also presenting the fire as a connecting element between two rooms.



Varia FD



Varia B-FDh



VARIA

It's show time
for flickering flames

This fireplace insert offers a spectacular presentation for a special fire experience. The unique U-shape of the Varia models lets the flames come away from the wall and take the stage in the star role. The warmth and firelight can be experienced from any point in the room thanks to the three sides of the fireplace insert. This spectacle is sure to captivate anyone who sees it.

The optional electric S-ESAM lift for opening the door pane like a theatre curtain further enhances this impression. The warming effect of the Varia models also spreads to other rooms, as the heated air they generate can be felt throughout your home, making it cosy and warm.



Varia AS-3RLh

VARIANTS

Varia AS-3RLh



5.9 – 10.9 kW

Varia Ch



6.3 – 11.7 kW



Varia Ch

VARIA H₂O

Fire and water




Varia Ah H₂O

The wood in the Varia H₂O crackles quietly and flares up every now and then. After a while, the cosy warmth will beckon you to sit by the fireplace insert and, once you stare into the flickering flames, you are sure to experience pure relaxation. But these special models of the Varia series won't just make your eyes shine brighter with their unique pattern of fire, they will also impress you with their technical finesse.

These innovative H₂O models produce sustainable and CO₂-neutral hot water that can be used in all areas of your entire home. This is made possible and supported by the digital S-Thermatik NEO. All variants of the fireplace insert, fuelled by well-stored logs, achieve energy efficiency class A+ in tests, making them an environment-friendly, sustainable solution.

VARIANTS

Varia 1V H ₂ O Varia 1Vh H ₂ O	 A+
	 5.6 – 10.4 kW
Varia 1V H ₂ O XL Varia 1Vh H ₂ O XL	 A+
	 6.3 – 11.7 kW
Varia 1V H ₂ O XXL Varia 1Vh H ₂ O XXL	 A+
	 10.5 – 19.5 kW
Varia Ah H ₂ O	 A+
	 7.3 – 13.5 kW






VARIA H₂O



Perspectives of flame



Warmth and a feeling of security. These are the sensations that have made a spot by the fire so coveted for all of human history. The sophisticated L-shape of the Varia H₂O with its compact corner panes provides a full view of the flames from two sides. This keeps the flickering flames visible at all times. The ingenious corner solution opens up new dimensions for unique interior design as the fireplace insert can be placed unattached and freely in the room.

All Varia corner fireplace models have yet another advantage. They can heat additional rooms with warm air. The digital S-Thermatik NEO provides assistance for handling the fire just right. The water-conducting variant is designed above all for sustainable consumption of resources. It also generates hot water in a CO₂-neutral way – with the flames of innovation.



VARIANTS

Varia 2L-55h H₂O  A+
Varia 2R-55h H₂O  4.9 – 9.1 kW

Varia 2Lh H₂O  A+
Varia 2Rh H₂O  7.3 – 13.5 kW



Varia 2R-55h H₂O

VARIA H₂O

Greater insights

This design is pure fascination. The double-sided Varia H₂O keeps the flames in view at all times. With its clean lines, the fireplace insert connects two rooms with a unique fire, creating a new architectural experience.

SMART FIREPLACE ASSISTANCE FUNCTIONS



S-Thermatik NEO
(combustion control)



S-USI II
(underpressure control)



S-ESAM | S-ESAM 3.0
(automatic sliding door)



S-Kamatik 2
(chimney draft control)



S-Vent



Varia FD H₂O

For this purpose, Spartherm has developed different front widths of 67 cm or 87 cm that fit seamlessly into a wall design. The large-format, fully non-reflective ceramic glass panes are sure to fascinate you with an unobstructed view of the lively fire. But the double-sided models of the Varia H₂O can also be adapted to individual needs. Additional features can create an even greater-quality fire experience. In addition to a classic swing door, an elevating stove door is also available. For even more convenient operation, the latter can also be equipped with the S-ESAM electric door opener, if desired. Just like the other Varia H₂O models, this variant is designed to produce hot water in a sustainable and CO₂-neutral way.

VARIANTS

Varia FD H₂O
Varia FDh H₂O

A+

7.0 – 13.0 kW


Varia A-FDh H₂O

A+

7.3 – 13.5 kW



PRODUCT OVERVIEW



Fireplace inserts		Mini R1V	Mini Z1	Mini S	Mini Sh	Varia IV	Varia IVh	Varia IV-87h	Varia IV-100h	Varia Sh		
Dimensions	Door height	mm	505	505	505	514	512 566	514 574	528	700	623	
	Door width	mm	438	438	598	606	668	671	875	1006	746	
	Door depth	mm	-	-	-	-	-	-	-	-	-	
	Flue gas connection Ø	mm	180	180	180	180	200 180	200 180	200	250 200	200 180	
Performance	Standard	Energy efficiency class	A	A	A	A	A+	A+	A+	A	A	
		Nominal output	kW	5.2	7.0	7.0	7.0	11.0	11.0	9.5	10.4	11.0
		Thermal output range	kW	4.5-6.8	4.9-9.1	4.9-9.1	4.9-9.1	7.7-14.3	7.7-14.3	6.7-12.4	7.3-13.5	7.7-14.3
		Efficiency	%	80	>78	>78	>78	>80	>80	>80	80	>80
		Energy efficiency class		A+	A+	-	-	A+	A+	A+	-	-
		Nominal output	kW	6.2	10.0	-	-	17.0	17.0	10.9	-	-
	with HRS	Thermal output range	kW	4.5-8.1	7.0-13.0	-	-	11.9-21.2	11.9-21.2	7.6-14.2	-	-
		Efficiency	%	>85	>85	-	-	>85	>85	>85	-	-
		S	Energy efficiency class		-	-	-	-	-	-	-	-
			Nominal output	kW	-	-	-	-	-	-	-	-
			Thermal output range	kW	-	-	-	-	-	-	-	-
			Efficiency	%	-	-	-	-	-	-	-	-
Tests and values	2nd level BImSchV 2010 (German emission protection directive)		✓	✓	✓	✓	✓	✓	✓	✓	✓	
	15a B-VG		✓	✓*	✓*	✓*	✓	✓	✓	✓	✓	
	European Ecodesign Directive 2022		✓	✓	✓	✓	✓	✓	✓	✓	✓	
	Operation with open combustion chamber		-	✓	✓	✓	-	-	-	-	-	
	Weight (approx.)	kg	121	164	142	175	242 248	282 288	350	394	272	
Info	Door function		hinged	hinged	hinged	elevating	hinged	elevating	elevating	elevating	elevating	
	Glazing		single	single	single	single	single	single	single	single	single	

Fireplace inserts RLU		Mini R1V RLU	Mini Z1 RLU	Mini S RLU	Mini Sh RLU	Varia IV RLU	Varia IVh RLU	Varia AS RLU	Varia ASh RLU	Varia Sh RLU		
Dimensions	Door height	mm	512	512	512	514	512	514	367	370	623	
	Door width	mm	438	438	598	606	668	671	744	730	746	
	Door depth	mm	-	-	-	-	-	-	-	-	-	
	Flue gas connection Ø	mm	180	180	180	180	200 180	200 180	180	180	200 180	
Performance	Standard	Energy efficiency class	A	A	A	A	A	A+	A+	A+	A+	
		Nominal output	kW	5.2	7.0	7.0	7.0	11.0	11.0	7.0	7.0	11.0
		Heat output range	kW	4.5-6.8	4.9-9.1	4.9-9.1	4.9-9.1	7.7-14.3	7.7-14.3	4.9-9.1	4.9-9.1	7.7-14.3
		Efficiency	%	80	>78	>78	>78	>80	>80	>80	>80	80
		Energy efficiency class		-	-	-	-	-	-	-	-	-
		Nominal output	kW	-	-	-	-	-	-	-	-	-
	with HRS	Heat output range	kW	-	-	-	-	-	-	-	-	-
		Efficiency	%	-	-	-	-	-	-	-	-	-
		S	Energy efficiency class		-	-	-	-	A	-	-	-
			Nominal output	kW	-	-	-	-	7.0	-	-	-
			Heat output range	kW	-	-	-	-	4.9-9.1	-	-	-
			Efficiency	%	-	-	-	-	>80	-	-	-
Inspections	2nd level BImSchV 2010 (German emission protection directive)		✓	✓	✓	✓	✓	✓	✓	✓	✓	
	15a B-VG		✓	✓*	✓	-	-	✓	✓	✓	✓	
	European Ecodesign Directive 2022		✓	✓	✓	✓	✓	✓	✓	✓	✓	
	Operation with open combustion chamber		-	-	-	-	-	-	-	-	-	
	Weight (approx.)	kg	121	164	142	175	217	282	166	209	272	
Info	Door function		hinged	hinged	hinged	elevating	hinged	elevating	hinged	elevating	elevating	
	Glazing		single	single	single	single	single	single	single	single	single	


* only complies with 15a 2015 with AT attachment, attention: Flue gas connection height + 160 mm

Varia AS	Varia ASh	Varia Ah	Varia Bh	Varia B-120h	Arte 1Vh-66	Arte Bh	Mini S-FDh	Varia FD	Varia FDh	Varia FD-87h	Varia AS-FDh	Varia A-FDh
367	370	440	523	523	663	805	514 505	507 507	514 507 567	526 518	371 364	440 430
744	730	881	1006	1206	396	656	606 598	668 668	671 668	875 872	730 741	881 877
-	-	-	-	-	-	-	-	-	-	-	-	-
180	180	200 180	250 200	250	180	200 180	200 180	250	250	200	180	250
A+	A+	A	A	A	A+	A	A	A	A	A+	A+	A
7.0	7.0	10.4	10.4	15.0	6.6	11.0	6.0	11.6	11.6	10.6	7.0	10.4
4.9-9.1	4.9-9.1	7.3-13.5	7.3-13.5	10.5-19.5	4.6-8.6	7.7-14.3	4.5-7.8	8.1-15.1	8.1-15.1	7.4-13.8	4.9-9.1	7.3-13.5
>80	>80	>80	>78	78	>85	>78	>78	80	80	>80	>80	>80
A+	A+	-	-	-	A+	-	-	-	-	A+	A+	-
11.0	11.0	-	-	-	10.4	-	-	-	-	11.1	11.0	-
7.7-14.3	7.7-14.3	-	-	-	7.3-13.5	-	-	-	-	7.8-14.4	7.7-14.3	-
>85	>85	-	-	-	>85	-	-	-	-	>85	>85	-
-	-	-	A	-	-	-	-	-	-	-	-	-
-	-	-	9.0	-	-	-	-	-	-	-	-	-
-	-	-	6.3-11.7	-	-	-	-	-	-	-	-	-
-	-	-	>78	-	-	-	-	-	-	-	-	-
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓*	✓*	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	-	-	-	✓	✓	-	-	-	-	✓
166	209	305	350	369	243	287	266	212	265	297	205	314
hinged	elevating	elevating	elevating	elevating	elevating	elevating	elevating	hinged	elevating	elevating	elevating	elevating
single	single	single	single	single	single	single	single	single	single	double	single	single


Varia M-80h RLU	Varia Bh RLU	Arte 1Vh-66 RLU	Varia FD RLU	Varia 2L-55h / 2R-55h RLU	Varia 2L-62h / 2R-62h RLU
523	523	663	512 512	514	444
802	1006	396	668 668	584	596
-	-	-	-	392	392
200 180	250 200	180	250	180	180
A	A	A+	A	A	A+
9.0	10.4	6.6	11.6	7.0	6.9
6.3-11.7	7.3-13.5	4.6-8.6	8.1-15.1	4.9-9.1	4.8-9.0
>78	>78	>85	80	>80	>80
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
✓	✓	✓	✓	✓	✓
-	-	-	-	-	-
✓	✓	✓	✓	✓	✓
-	-	-	-	-	-
291	350	243	212	222	206
elevating	elevating	elevating	hinged	elevating	elevating
single	single	single	single	single	single

Varia B-FDh	Mini 2L / 2R	Mini 2LRh	Varia 2L-55 / 2R-55	Varia 2L-55h / 2R-55h	Varia 2L-62 / 2R-62	Varia 2L-62h / 2R-62h	Varia 2L-68h / 2R-68h	Varia 2Lh / 2Rh	Varia AS-2Lh / AS-2Rh	Varia 2L-80h / 2R-80h	Varia 2L-100h / 2R-100h	Arte 2LRh-66
523 515	502	505	508	514	438	444	501	514	370	412	412	663
1006 1002	452	466	571	584	583	596	685	685	730	807	1002	363
-	452	466	379	392	378	392	410	466	358	501	501	363
250	180	180	180	180	180	180	250 200	200 180	200 180	250 200	250 200	180
A	A	A	A	A	A+	A+	A+	A+	A	A+	A+	A+
11.0	7.0	7.0	7.0	7.0	6.9	6.9	9.6	10.5	7.0	11.0	12.3	6.4
7.7-14.3	4.9-9.1	4.9-9.1	4.9-9.1	4.9-9.1	4.8-9.0	4.8-9.0	6.7-12.5	7.4-13.7	4.9-9.1	7.7-14.3	8.6-16.0	4.5-8.3
79	80	80	80	80	>80	>80	>80	>80	80	>80	>80	>80
-	-	-	-	-	A+	A+	A+	A+	-	-	-	A+
-	-	-	-	-	10.0	10.0	9.9	12.0	-	-	-	10.4
-	-	-	-	-	7.0-13.0	7.0-13.0	6.9-12.9	8.4-15.6	-	-	-	7.3-13.5
-	-	-	-	-	>85	>85	>85	>85	-	-	-	>85
-	-	-	-	-	-	-	-	A	-	-	-	-
-	-	-	-	-	-	-	-	7.0	-	-	-	-
-	-	-	-	-	-	-	-	4.9-9.1	-	-	-	-
-	-	-	-	-	-	-	-	>78	-	-	-	-
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓*	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	-	-	✓	✓	-	-	-	-	-	-	✓	-
390	166	199 211	170	200	181	206	310	274 277	199	274	320	186
elevating	hinged	hinged	hinged	elevating	hinged	elevating	elevating	elevating	elevating	elevating	elevating	elevating
single	single	single	single	single	single	single	single	single	single	single	single	single

Fireplace inserts H ₂ O		Varia IV H ₂ O	Varia 1V H ₂ O XL	Varia 1V H ₂ O XXL	Varia 1Vh H ₂ O	Varia 1Vh H ₂ O XL*	Varia 1Vh H ₂ O XXL*	Varia Ah H ₂ O	Varia FD H ₂ O	Varia FDh H ₂ O	
Dimensions	Door height	mm	507	507	507	513	513	513	440	507 507	514 507
	Door width	mm	668	668	668	671	671	671	881	668 668	671 668
	Door depth	mm	-	-	-	-	-	-	-	-	-
	Flue gas connection Ø	mm	180	200 180	200 180	180	200 180	200 180	200 180	200	200
Performance	Standard										




DESIGN YOUR
PERSONAL
MOMENT OF **FIRE.**



PRODUCT CONSULTANT

WHICH FIRE GOES BEST WITH YOUR LIFE?
Find the fireplace insert that precisely meets your requirements in just a few steps!






www.spartherm.com

SPARTHHERM® PRODUCT RANGE




HIGHLIGHTS






THE FIRE OF YOUR LIFE.



SPECIALIST DEALERS



-  www.facebook.com/spartherm
-  www.instagram.com/spartherm
-  www.youtube.com/sparthermgermany

www.spartherm.com

